



AutoFreeze™ + H Secure Freezer Storage Specification

AutoFreeze +H delivers access-controlled frozen storage and computer driven dispensing for your valuable frozen medications. It enables centralized control and reporting and is scalable to accommodate expanding needs and satellite locations. AutoFreeze +H is fully integrated with AutoPharm® Enterprise software to provide one inventory solution.

AutoFreeze +H

Features

- Digital temperature display
- Automatic temperature and humidity logging
- Locking heavy-duty casters
- Air cooled, forced air refrigeration system for uniform temperature and quick recovery
- Dual-temperature probes
- Lockable front door
- Operation display

Patient Safety

AutoFreeze +H supports bar code confirmation of all dispensing and put-away activities for your frozen medications. It limits personnel actions through password secured doors.

Enhanced Efficiency

AutoFreeze +H integrates with AutoPharm Enterprise, the powerful software platform that enables complete management of your medication inventory from arrival at the pharmacy to delivery to the patient care area.




Complete Inventory Control

AutoFreeze +H can consolidate your frozen medications as a part of a comprehensive, integrated inventory system. It enables easy, centralized control and perpetual inventory management based on par-levels, and supports integrated wholesale ordering.



AutoFreeze +H Specifications



Capacity

Number of Shelves: 4

Number of Totes per Shelf: 0 to 20

Total Number of Totes: 0 to 80

Volume per Tote: max 7.76 liters

Total Capacity by Volume: max 96.7 L

*Bins and dividers sold separately

Operation

Uniform Internal Temperature: +/-2°
at -30°C setpoint

Number of Thermistors: 2

Number of Compressors: 1

Refrigerant: R-404A Non-CFC

Environment Temperature: 15° to 32° C

Environment Humidity: max 80%

Workstation Required: Yes

Workstation Operating System: Windows 10

Interior Operating Range: -15° to -30°c

Power

Main Power: 208/230 VAC 4.3/3.8 FLA

Required: NEMA 6-15 Hospital Grade

Duty Cycle: 100%

Manual Operation, if Needed: Yes

NOTE: The AutoFreeze +H is UL/CSA Compliant.

Site Requirements

Prior to installation, a site survey will be completed to ensure there are no physical obstructions that would affect installation.

Clearance Required

Right/Left Sides: 1.5"

Back: 3.0"

Top: 8.0"

Weight: 443 lbs/201 kg



Swisslog Healthcare

At Swisslog Healthcare, we strive to lead change for better care. At the core of this vision is a focus on improving workflows and reducing the time clinicians spend doing repetitive tasks—enabling more time to care for patients and residents. Our solutions and services extend across the continuum of care, including transport, medication and supply chain management for long-term care facilities, consolidated service centers, hospitals and health systems.



CONTACT

Swisslog Healthcare
healthcare.us@swisslog.com
800.764.0300
swisslog-healthcare.com/autofreeze

AutoFreeze and AutoPharm are trademarks or registered trademarks registered in the US Patent and Trademark Office. Swisslog Healthcare systems may be covered by one or more patents. See swisslog-healthcare.com/patents for details. © 2020 Swisslog Healthcare EN NAM 112020 ACH-201

