




**AutoPack™**

## **Automated Oral Solid Packager - DEN Model Specifications**

The AutoPack™ Desk (DEN) model offers fully automated packaging for oral solid medications. The AutoPack DEN easily integrates with your pharmacy operations and maximizes space efficiency while maintaining the same high standard of packaging performance as larger models. It will process up to 60 doses per minute and its optional AutoCanister™ feature allows automated dispensing of half-dose tablets, infrequently used tablets or tablets with special shapes.


## AutoPack DEN Capacity Options

**JV-DEN**




No Canisters

**JV-36DEN**



36 Canisters

**JV-84DEN**




84 Canisters



## AutoPack DEN Specifications

### Features

- Compact, slim design
- Precise control and access
- Automated barcoding of oral solid medications
- User-defined label space
- Recognition of priority and STAT orders for immediate packaging
- Special Tablet System (STS) Tray and half-tab support



**Site Requirements**  
Prior to installation, a site survey will be completed to ensure there are no physical obstructions that would affect installation. Additional space may be required for installation. Actual space required may vary.

		DEN Model		
		DEN	36DEN	84DEN
Size and Weight	Width	37.5"	37.5"	37.5"
	Depth	21.3"	21.3"	21.3"
	Height	36.3"	66.6"	82.3"
	Weight (without canisters)	298 lbs	386 lbs	452 lbs
	Canister Capacity (Ea) S: Small Canister L: Large Canister L1: Large Canister with Extender *Canister sizes listed are the maximum sizes and quantities. Smaller canisters can be substituted.	No canisters	36 (S: 36, L: 12, L1: 12)	84 (S: 60, L: 12, L1: 12)
	STS Capacity	60 pack (1 tray)		
Pkg Speed	Max Packaging Speed	Unit-Dose: up to 60 pack/min		
	STS Packaging Speed	MAX, 60 pack/ min		
Packaging	Pouch Sizes (HxW)	70 x 55mm/ 70 x 75mm		
	Tablet Detection	Infrared light detection		
	Text Info	Supports graphic windows environment (all characters and barcode). Recommended no more than 19 lines of user-defined label space to ensure accuracy and readability.		
	Printing System	Thermal Transfer: Any number of typefaces possible. Easy replace print ribbon w/ reusable cartridge		
Operating Requirements	Power Consumption	230W (MAX, 550W)		
	Power Supply	120V, 60Hz		
	Operation Temperature	32-104° F		
	Operation Humidity	10-80%		
Features	AutoCanister Option *Note that each AutoCanister replaces three (3) standard canisters	N/A	Up to 4*	
	STS Tray Light	Lighted STS Tray		



## Swisslog Healthcare

At Swisslog Healthcare, we strive to lead change for better care. At the core of this vision is a focus on improving workflows and reducing the time clinicians spend doing repetitive tasks—enabling more time to care for patients and residents. Our solutions and services extend across the continuum of care, including transport, medication and supply chain management for long-term care facilities, consolidated service centers, hospitals and health systems.



### CONTACT

Swisslog Healthcare  
healthcare.us@swisslog-healthcare.com  
800.764.0300  
[swisslog-healthcare.com/autopack](https://swisslog-healthcare.com/autopack)

AutoPack, AutoPack DEN and AutoCanister are trademarks of JVM. Swisslog Healthcare systems may be covered by one or more patents. See [swisslog-healthcare.com/patents](https://swisslog-healthcare.com/patents) for details. Swisslog Healthcare conducts ongoing product improvements, therefore technology designs may change without notice or obligation. ©2022 Swisslog Healthcare NAM EN 022022 APA-200

