



AutoPack™


Automated Oral Solid Packager - DO+ Model Specifications

The AutoPack™ DO+ model offers fully-automated packaging for oral solid medications and easily integrates with your pharmacy operations. It's compact, efficient, and easy-to-use. AutoPack DO+ maximizes space efficiency with a slim design and the ability to fit through a standard door. It processes up to 60 doses per minute and the optional AutoCanister™ feature enables automated dispensing of halved tablets, infrequently used tablets or tablets with special shapes.

AutoPack DO+ Specifications

Features

- Automated barcoding of oral solid medications for safe medication management
- Configurable label space and pouch print layout
- Recognition of priority and STAT orders for immediate packaging
- Special Tablet System (STS) Tray and half-tablet support
- Variable heater enables customizable package size



		DO+ Model
		244
Size and Weight	Width	39"
	Depth	21.3"
	Height	85.5"
	Weight (without canisters)	772 lbs
	Canister Capacity* S: Small Canister L: Large Canister L1: Large Canister with Extender *Canister sizes listed are the maximum sizes and quantities. Smaller canisters can be substituted.	244 (S: 128, L: 80, L1: 36)
	STS Capacity	60 each/tray
	AutoCanister Capacity	Up to 500 tablets (Qty based on 7 mm nominal tablet)
Packaging Speed	Unit Dose Packaging	Up to 60/minute
	STS Packaging	Up to 60/minute
	AutoCanister Packaging	Up to 40/minute
Packaging	Unit Dose Packaging Size	Depending on Configuration - see options listed on page 3
	Tablet Detection	Infrared Light Detection
	Print Type	Thermal Transfer: Any number of typefaces possible; Easy replace print ribbon with reusable cartridge
	Text Info	Supports graphic windows environment (all characters and barcode); Recommended no more than 19 lines of user-defined label space to ensure accuracy and readability
Operating Requirements	Power Supply	120v, 60Hz
	Power Consumption	Up to 550W
	Operation Temperature	32-104° F
	Operation Humidity	10-80%
Features	Unit Display and Input	Touchscreen 10.1"/All in one IPC
	STS Tray Light	Lighted STS Tray
	Automatic Canister Recognition Chip	ACRS chip enables any canister to be seated in any location



AutoPack Optional Configuration Features



		DO+ Model
		244
Optional Configuration Features	AutoCanister Option *Note that each AutoCanister replaces four (4) standard canisters	Two or four*
	Variable Heater	Packing Size (W x H) Options: Variable heater: Packing size can further be configured to 70 mm x 50 mm (fixed configuration), 70 mm x 55 mm, 70 mm x 65 mm, 70 mm x 75 mm, 70 mm x 85 mm, and 70 mm x 95 mm

Site Requirements

Prior to installation, a site survey will be completed to ensure there are no physical obstructions that would affect installation. Additional space may be required for installation. Actual space required may vary.



Swisslog Healthcare

At Swisslog Healthcare, we strive to lead change for better care. At the core of this vision is a focus on improving workflows and reducing the time clinicians spend doing repetitive tasks—enabling more time to care for patients and residents. Our solutions and services extend across the continuum of care, including transport, medication and supply chain management for long-term care facilities, consolidated service centers, hospitals and health systems.

CONTACT

Swisslog Healthcare
healthcare.us@swisslog.com
800.764.0300
swisslog-healthcare.com/autopack

AutoPack, AutoPack DO+ and AutoCanister are trademarks of JVM. Swisslog Healthcare systems may be covered by one or more patents. See swisslog-healthcare.com/patents for details. Swisslog Healthcare conducts ongoing product improvements, therefore technology designs may change without notice or obligation. ©2024 Swisslog Healthcare NAM EN 082024 APA-201