

AutoPackTM

Automated Oral Solid Packager - DO Model Specifications


The AutoPack™ DO model offers fully-automated packaging for oral solid medications and easily integrates with your pharmacy operations. It's compact, efficient, and easy-to-use. AutoPack DO maximizes space efficiency with a slim design and the ability to fit through a standard door. It processes up to 60 doses per minute and the optional AutoCanister™ feature enables automated dispensing of halved tablets, infrequently used tablets or tablets with special shapes.




AutoPack DO Specifications

Features

- Automated barcoding of oral solid medications for safe medication management
- Configurable label space and pouch print layout
- Recognition of priority and STAT orders for immediate packaging
- Special Tablet System (STS) Tray and half-tablet support





		DO Model		
		208	244	
Size and Weight	Width	39"	39"	
	Depth	21.3"	21.3"	
	Height	80.4"	85.5"	
	Weight (without canisters)	662 lbs	772 lbs	
	Canister Capacity* S: Small Canister L: Large Canister L1: Large Canister with Extender *Canister sizes listed are the maximum sizes and quantities. Smaller canisters can be substituted.	208 (S: 72, L: 100, L1: 36)	244 (S: 128, L: 80, L1: 36)	
	STS Capacity	60 each/tray		
	AutoCanister Capacity	Up to 500 tablets (Qty based on 7mm nominal tablet)		
Packaging Speed	Unit Dose Packaging	Up to 60/minute		
	STS Packaging	Up to 60/minute		
	AutoCanister Packaging	Up to 40/minute		
Packaging	Unit Dose Packaging Size (WxH)	2.76" x 2.17"		
	Tablet Detection	Infrared Light Detection		
	Print Type	Thermal Transfer: Any number of typefaces possible; Easy replace print ribbon with reusable cartridge		
	Text Info	Supports graphic windows environment (all characters and barcode); Recommended no more than 19 lines of user-defined label space to ensure accuracy and readability		
Operating Requirements	Power Supply	120v, 60Hz		
	Power Consumption	Up to 550W		
	Operation Temperature	32-104° F		
	Operation Humidity	10-80%		
Features	Unit Display and Input	Touchscreen 10.1"/All in one IPC		
	STS Tray Light	Lighted STS Tray		
	Automatic Canister Recognition Chip	ACRS chip enables any canister to be seated in any location		



AutoPack Optional Configuration Features




		DO Model	
		208	244
Optional Configuration Features	AutoCanister Option *Note that each AutoCanister replaces three (3) standard canisters	Up	to 4*

Site Requirements

Prior to installation, a site survey will be completed to ensure there are no physical obstructions that would affect installation. Additional space may be required for installation. Actual space required may vary.





CONTACT

Swisslog Healthcare healthcare.us@swisslog.com 800.764.0300 swisslog-healthcare.com/autopack AutoPack, AutoPack DO and AutoCanister are trademarks of JVM. Swisslog Healthcare systems may be covered by one or more patents. See swisslog-healthcare.com/patents for details. Swisslog Healthcare conducts ongoing product improvements, therefore technology designs may change without notice or obligation. ©2020 Swisslog Healthcare NAM EN 072020 APA-201

